



# CVX Color Viewing Stations

Providing Tight Conformance to the ISO 3664:2025 Standard



**Versatile CVX viewing stations combine D5000 accuracy and consistency with sturdy construction and an attractive design. They are compatible with any working environment including offices, conference rooms, customer service areas, studios, and production environments.**

CVX D50 viewing stations are available with LED or fluorescent lamp technology. Both lamps conform to the ISO 3664:2025 viewing standard, provide a high CRI, superior light evenness, and excellent rear wall illumination.

CVX's are offered in four model sizes. Each model includes side walls and LiteGuard 3.0 which monitors lamp usage by letting you know when lamps are warming up, the number of hours the lamps have been used, and remaining lamp hours before relamping is recommended.

*At left: CVX-3052 viewing station with one deep file drawer (1F-3052) and eight shallow flat file drawers (FD-3052). Above: CVX-3052 with a height adjustable (at set-up) rolling floor stand (CVX-3052/FS).*

## CVX Features Include:

- ISO 3664 compliance
- D50 light quality
- Graphiclite LED or fluorescent lamps
- LiteGuard 3.0 usage monitor
- Horizontal and vertical viewing positions
- Spectrally neutral, non-yellowing diffusers
- Munsell N8/ Gray surround
- Side walls
- Multiple light sources—optional
- A range of storage and floor stand options



# CVX Color Viewing Stations

## Optimized Viewing for Graphic Arts and Photographic Applications

### CVX Viewing Area Sizes

Model	CVX-3052	CVX-30106	CVX-3	CVX-4
Viewing Area D×W	29" × 52" 74 cm × 132 cm	29" × 106" 74 cm × 269 cm	48" × 64" 122 cm × 163 cm	48" × 130" 122 cm × 330 cm



Above: A CVX-30106 viewing station is shown with two shallow flat file drawers (2F-3052) and two-door storage cabinet (SC-3052) on left; and one deep flat file drawer (1F-3052) and eight shallow flat file drawers (FD-3052) on right.

### Options

- Order with LED or fluorescent lamps
- Available with a range of storage options including:
  - Flat file sets consisting of eight drawers
  - Two door storage cabinet
  - One deep file drawer
  - Two shallow file drawers
- Viewing stations can be ordered as countertop units
- Can be supplied with two or three light sources



CVX-3 (left) and CVX-4 (above) viewing stations meet the needs of customers who require larger viewing areas.

### CVX Specifications

Model	Description	Dimensions H×W×D	Electrical—Watts	
			Fluorescent	LED
CVX-3052	Countertop Model	48" × 54" × 31" (122 cm × 137 cm × 79 cm)	168	78
CVX-3052/FS	Floor Stand Model	80"-96" × 54" × 31" (203-244 cm × 137 cm × 79 cm)	168	78
CVX-30106	Countertop Model	48" × 108" × 31" (122 cm × 274 cm × 79 cm)	336	156
CVX-30106/FS	Floor Stand Model	80"-96" × 108" × 31" (203-244 cm × 274 cm × 79 cm)	336	156
CVX-3	Floor Stand Model	93.5" × 65.75" × 50" (237 cm × 167 cm × 127 cm)	300	104
CVX-4	Floor Stand Model	93.5" × 131.5" × 50" (237 cm × 334 cm × 127 cm)	600	208

GTI is a leading manufacturer of tight tolerance lighting systems for critical color viewing, color communication, and color matching. An in-house spectroradiometric laboratory and a 100% measurement and verification production process guarantees that precision and accuracy is built into all products. All products are shipped with a certificate of product conformance (NIST traceable).



graphiclite®



Tel: 845-562-7066 • Email: sales@gtilite.com • [www.gtilite.com](http://www.gtilite.com)

GTI Graphic Technology, Inc. | 211 Dupont Avenue, P.O. Box 3138 | Newburgh, New York 12550

GTI GmbH | Tel: +49 461 99 57 60 20 | [www.gti-normlicht.de](http://www.gti-normlicht.de)

Graphiclite is a registered trademark of GTI Graphic Technology, Inc.  
© GTI Graphic Technology, Inc. Specifications are subject to change. Fluorescent lamps contain mercury.