



CVX Color Viewing Stations

Tight Conformance to the ISO 3664:2025 Standard in an LED Solution



Versatile CVX viewing stations combine D5000 LED accuracy and consistency with sturdy construction and an attractive design. They are compatible with any working environment including offices, conference rooms, customer service areas, studios, and production environments.

CVX viewing stations include GTI's D50 LED lamp technology. These lamps provide a long lifetime of use, energy savings, and environmental benefits. GTI's CVX viewing booths conform to the ISO 3664:2025 viewing standard and offer a high CRI, superior light evenness, and excellent rear wall illumination.

CVX's are available in four model sizes. Each model includes side walls and LiteGuard 3.0 which monitors lamp usage by letting you know the number of hours the lamps have been used and remaining lamp hours before relamping is recommended.

At left: CVX-3052/LED viewing station with one deep file drawer (1F-3052) and eight shallow flat file drawers (FD-3052). Above: CVX-3052/LED with a height adjustable (at set-up) rolling floor stand (CVX-3052/LED/FS).

CVX Features Include:

- ISO 3664:2025 compliance
- High CRI (RA>98)
- D50 light quality
- Graphiclite LED lamps—included
- LiteGuard 3.0 usage monitor
- Horizontal and vertical viewing positions
- Munsell N8/ Gray surround
- Side walls
- Multiple light sources—optional
- A range of storage and floor stand options



graphiclite®



D50 LED CVX Color Viewing Stations

Optimized Viewing for Graphic Arts and Photographic Applications

CVX Viewing Area Sizes

Model	CVX-3052/LED	CVX-30106/LED	CVX-3/LED	CVX-4/LED
Viewing Area D×W	29" × 52" 74 cm × 132 cm	29" × 106" 74 cm × 269 cm	48" × 64" 122 cm × 163 cm	48" × 130" 122 cm × 330 cm



Above: A CVX-30106/LED viewing station is shown with two shallow flat file drawers (2F-3052) and two-door storage cabinet (SC-3052) on left; and one deep flat file drawer (1F-3052) and eight shallow flat file drawers (FD-3052) on right.

Options

- A range of storage options:
 - Flat file set consisting of eight drawers
 - Two door storage cabinet
 - One deep file drawer
 - Two shallow file drawers
- Viewing stations can be ordered as countertop units
- Can be supplied with two or three light sources
- Fluorescent lamps can be substituted



CVX-3/LED (left) and CVX-4/LED (above) viewing stations meet the needs of customers who require larger viewing areas.

CVX Specifications

Model	Description	Dimensions H×W×D
CVX-3052/LED	Countertop Model	48" × 54" × 31" (122 cm × 137 cm × 79 cm)
CVX-3052/LED/FS	With Floor Stand	80"-96" × 54" × 31" (203-244 cm × 137 cm × 79 cm)
CVX-30106/LED	Countertop Model	48" × 108" × 31" (122 cm × 274 cm × 79 cm)
CVX-30106/LED/FS	With Floor Stand	80"-96" × 108" × 31" (203-244 cm × 274 cm × 79 cm)
CVX-3/LED	With Floor Stand	93.5" × 65.75" × 50" (237 cm × 167 cm × 127 cm)
CVX-4/LED	With Floor Stand	93.5" × 131.5" × 50" (237 cm × 334 cm × 127 cm)

GTI is a leading manufacturer of tight tolerance lighting systems for critical color viewing, color communication, and color matching. An in-house spectroradiometric laboratory and a 100% measurement and verification production process guarantees that precision and accuracy is built into all products. All products are shipped with a certificate of product conformance (NIST traceable).



graphiclite®



Tel: 845-562-7066 • Email: sales@gtilite.com • www.gtilite.com

GTI Graphic Technology, Inc. | 211 Dupont Avenue, P.O. Box 3138 | Newburgh, New York 12550

GTI GmbH | Tel: +49 461 99 57 60 20 | www.gti-normlicht.de